



# ICAT' Rome

INTERNATIONAL CONFERENCE ON ADVANCED  
TECHNOLOGY & SCIENCES

**PROCEEDINGS BOOK**



**November 23-25, 2016**  
Rome / ITALY



# International Conference on Advanced Technology & Sciences

**4<sup>th</sup> International Conference, ICAT'Rome  
Rome, Italy, November 23-25, 2016**

**Proceedings**

**Editors**

**Ismail SARITAS  
Omer Faruk BAY  
Kemal TUTUNCU**

International Conference on Advanced Technology & Sciences, **ICAT'ROME**  
4<sup>th</sup> International Conference on Advanced Technology & Sciences  
Rome, Italy, November 23-25, 2016



# International Conference on Advanced Technology & Sciences

4<sup>th</sup> International Conference, ICAT'Rome  
Rome, Italy, November 23-25, 2016

Proceedings

Editors

Ismail SARITAS

Omer Faruk BAY

Kemal TUTUNCU

E-ISBN: 978-605-9119-79-5

Aybil Yayınevi Sertifika No: 31790



Aybil Dijital Baskı Reklam Mühendislik  
Turizm Sanayi ve Ticaret Limited Şirketi

Ferhuniye Mh. Sultanşah Cd. No:30/A KONYA  
Tel: 0.332 350 21 71 Fax: 0.332 350 71 21

ARALIK – 2016

**EDITORS** :

*Ismail SARITAS*

Selcuk University, Turkey  
Department of Electric-Electronic Engineering, Faculty of Technology  
Alaeddin Keykubat Campus 42031 Konya, Turkey  
isaritas@selcuk.edu.tr

*Omer Faruk BAY,*

Gazi University, Turkey  
Department of Electronic - Computer Education  
Teknikokullar, 06500, Ankara, Turkey  
e-mail: omerbay@gazi.edu.tr

*Kemal TUTUNCU*

Selcuk University, Turkey  
Department of Electric-Electronic Engineering, Faculty of Technology  
Alaeddin Keykubat Campus 42031 Konya, Turkey  
ktutuncu@selcuk.edu.tr

**ASSISTANT EDITORS** :

*Ilker Ali OZKAN*

Selcuk University, Turkey  
Department of Computer Engineering, Faculty of Technology  
Alaeddin Keykubat Campus 42031 Konya, Turkey  
ilkerozkan@selcuk.edu.tr

*Murat KOKLU*

Selcuk University, Turkey  
Department of Computer Engineering, Faculty of Technology  
Alaeddin Keykubat Campus 42031 Konya, Turkey  
mkoklu@selcuk.edu.tr

*Ali YASAR*

Selcuk University, Turkey  
Guneysinir Vocational School of Higher Education,  
Computer Programming, Konya, Turkey  
aliyasar@selcuk.edu.tr



## PREFACE

International Conference on Advanced Technology & Sciences (ICAT'Rome) has been organized in Rome, Italy on 23-25 November, 2016.

The main objective of ICAT'Rome is to present the latest research and results of scientists related to all sub-disciplines of Electrical Engineering. This conference provides opportunities for the different areas delegates to exchange new ideas and application experiences face to face, to establish business or research relations and to find global partners for future collaboration.

We hope that the conference results provides significant contribution to the knowledge in this scientific field. The organizing committee of conference is pleased to invite prospective authors to submit their original manuscripts to ICAT'Rome.

All paper submissions will be double-blind and peer-reviewed and evaluated based on originality, technical and/or research content/depth, correctness, relevance to conference, contributions, and readability. All full paper submissions have been double blind and peer reviewed and evaluated based on originality, technical and/or research content/depth, correctness, relevance to conference, contributions, and readability. Selected papers presented in the conference that match with the topics of the journals will be published in the following journals:

- International Journal of Intelligent Systems and Applications in Engineering (IJISAE)
- International Journal of Applied Mathematics, Electronics and Computers (IJAMEC)
- International Journal of Energy Applications and technology (IJEAT)

At this conference, there are 165 paper submissions from 65 different universities. Each paper proposal was evaluated by two. And finally, 83 papers will be presented at our conference.

In particular we would like to thank Prof. Dr. Mustafa SAHIN, Rector of Selcuk University; Advanced Technology and Sciences, Academic Publisher; International Journal of Intelligent Systems and Applications in Engineering (IJISAE); International Journal of Applied Mathematics, Electronics and Computers (IJAMEC); and AYBIL Organization. They have made a crucial contribution towards the success of this conference. Our thanks also go to the colleagues in our conference office.

Looking forward to see you in next ICAT.

Ismail SARITAS - Omer Faruk BAY  
Kemal TUTUNCU  
Editors

**PROGRAMME COMMITTEES**

---

**HONORARY CHAIR :***Mustafa Sahin, Turkey***GENERAL CHAIR :***Ismail Saritas, Turkey***CO-CHAIR :***Omer Faruk Bay, Turkey**Kemal Tutuncu, Turkey**Domenico Tegolo, Italy**Marco Porta, Italy**Ilker Ali Ozkan, Turkey**Murat Koklu, Turkey***PUBLICATION CHAIR :***Mehmet Akif Sahman, Turkey**Ali Yasar, Turkey**Mustafa Buber, Turkey***INTERNATIONAL ADVISORY BOARD**

---

Abdullah Erdal Tumer, Turkey

Alexander Sudnitson, Estonia

Ali Yasar, Turkey

Ali Yazici, Turkey

Alla Anohina Naumeca, Latvia

Almoataz Youssef Abdelaziz, Egypt

Amar Ramdane Cherif, France

Anand Kumar, India

Anca Loana Andreescu, Bulgaria

Angel Smrikarov, Bulgaria

Anne VILLEMS, Estonia

Antonella Reitano, Italy

Antonio Mendes, Portugal

Artan Luma, Macedonia

Asrun Matthiasdottir, Iceland

Biagio Lenzitti, Italy

Binod Kumar, India

Boris Akanaev, Kazakhstan

Burhan Turksen, Turkey

Cemil Sungur, Turkey

Cesare Valenti, Italy

D S Hooda, India

Desislava Paneva Marinova, Bulgaria

Dimitris Dranidis, Greece

Domenico Tegolo, Italy

Eisha Akanksha, India

Elinda Kajo Mece, Romania

Fecir Duran, Turkey

Gabriel Luna Sandoval, Mexico

Gabriel Luna Sandoval, Mexico

Heinz Dietrich Wuttke, Germany

Hidayet Oguz, Turkey

Hilda Tellioglu, Austria

Howard Duncan, Ireland

Huse Fatkic, Bosnia-Herzegovina

Ilker Ali Ozkan, Turkey

Inan Guler, Turkey

Irina Noninska, Bulgaria

Ismail Saritas, Turkey

Ivan Jelinek, Czech Republic

Jan Vom Brocke, Liechtenstein

Janis Grundspenkis, Latvia

Janusz Jablonowski, Poland

Jiri Srba, Denmark

Kadir Sabanci, Turkey

Karl Jones, Great Britain

Kemal Tutuncu, Turkey

Laurentiu Cristian Deaconu, Romania

Leon Rothkrantz, Netherlands

Levent Aydin, Turkey

Lilia Georgieva, Great Britain

Luca Lombardi, Italy

Mahdi Shahbakhti, United States

Majida Ali Abed Meshari, Iraq

Manik Sharma, India

Marco Porta, Italy

Markus Helfert, Ireland

Mehmet Cunkas, Turkey

Mehmet Akif Sahman, Turkey

Mehmet Rahmi Canal, Turkey

Mehmet Turan Demirci, Turkey

Michail Antchev, Bulgaria

Mirjana Ivanovic, Serbia

Muciz Ozcan, Turkey

Muhammad Zia Ur Rehman, Pakistan	Saadetdin Herdem, Turkey
Murat Ciniviz, Turkey	Sakir Tasdemir, Turkey
Murat Barut, Turkey	Silyan Sibinov Arsov, Bulgaria
Murat Koklu, Turkey	Simona Silvia Merola, Italy
Mustafa Buber, Turkey	Stavros Christodoulakis, Greece
Mustafa Altin, Turkey	Stavros Nikolopoulos, Greece
Mustafa Alci, Turkey	Tatjana Dulinskiene, Lithuania
Natasa Hoic Bozic, Croatia	Teresa Parra, Spain
Novruz Allahverdi, Turkey	Thomas Engel, Luxembourg
Onur Inan, Turkey	Valentina Dagiene, Lithuania
Pantha Ghosal, Australia	Virginio Cantoni, Italy
Pino Caballero Gil, Spain	Wladimir Bodrow, Germany
Polyxeni Arapi, Greece	Yuri Pavlov, Bulgaria
Raif Bayir, Turkey	Zarifa Jabrayilova, Azerbaidjan
Ridvan Saracoglu, Turkey	Zekai Sen, Turkey
Rositsa Doneva, Bulgaria	

---

### ORGANIZING COMMITTEE

Omer Faruk Bay, Turkey	Alla Anohina Naumeca, Latvia
Ismail Saritas, Turkey	Hidayet Oguz, Turkey
Kemal Tutuncu, Turkey	Sakir Tasdemir, Turkey
Ilker Ali Ozkan, Turkey	Silyan Sibinov Arsov, Bulgaria
Murat Koklu, Turkey	Ridvan Saracoglu, Turkey
Domenico Tegolo, Italy	Murat Ciniviz, Turkey
Murat Ciniviz, Turkey	Alla Anohina Naumeca, Latvia
Marco Porta, Italy	Silyan Sibinov Arsov, Bulgaria
Angel Smrikarov, Bulgaria	Dimitris Dranidis, Greece
Sakir Tasdemir, Turkey	Cesare Valenti, Italy
Zekai Sen, Turkey	Simona Silvia Merola, Bulgaria
Mustafa Altin, Turkey	

---

### TECHNICAL COMMITTEE

Mustafa Buber, Turkey	Mehmet Akif Sahman, Turkey
Ali Yasar, Turkey	Esra Kaya, Turkey



# Production and Testing of TL Dosimeters as an Ionizing Radiation Sensor

Mehmet Yüksel\*, Tamer Dogan<sup>+</sup>, Mustafa Topaksu\*

\*Çukurova University, Arts-Sciences Faculty, Physics Department, Adana, Turkey  
myuksel@cu.edu.tr, mats@cu.edu.tr

<sup>+</sup>Çukurova University, Vocational School of Imamoglu, Department of Computer Technologies, Adana, Turkey  
tdogan@cu.edu.tr

**Abstract**— In this study, the precipitation method has been used for preparation of CaSO<sub>4</sub> phosphor. The raw materials were used for preparation of this phosphor were CaCl<sub>2</sub>, Na<sub>2</sub>SO<sub>4</sub> and distilled deionized water. The structural characterization of the samples was obtained using X-ray diffraction (XRD) method and scanning electron microscopy (SEM) images. CaSO<sub>4</sub> pellets were made by cold pressing using obtained powder samples and TL measurements were carried out with an automated Risø TL/OSL DA-20 reader. TL emission was detected through a filter pack (Hoya U-340) transmitting between 290 and 370 nm. The activation energy (E), order of kinetics (b), and frequency factor (s) of the samples were determined using the various heating rate (VHR) and peak shape (PS) methods after being exposed in 1 Gy beta dose for 260°C TL peak.

**Keywords**— Thermoluminescence, production of dosimeter, radiation sensor, activation energy, VHR, PS.

## I. INTRODUCTION

Thermoluminescence (TL) is the emission of light from an insulator or a semiconductor following the previous absorption. The phenomenon of TL may have been known as early as 1663 as empirically defined, when Sir Robert Boyle reported to the Royal Society about “experiments and considerations upon colours with observations on diamond that shines in the dark” (1663) and described how, upon warming of a diamond in contact with his body, he saw a luminescence in the dark [1]. Many natural and synthetic minerals exhibit TL properties and it is important for dosimetry studies [2, 3].

Thermoluminescent dosimeter (TLD) is a radiation dosimeter that measures ionizing radiation (e.g. ultraviolet radiation, x-rays, gamma rays, alpha, beta and neutrons) exposure by measuring the intensity of visible light emitted from a crystal in the detector when the crystal is heated [4, 5]. This heating process for crystals is performed using TL measurements and it gives some information related to defects and impurities in solids. These solids are insulator or semiconductor that have a lot of defects and these defects are called electron traps. In the development of a new TLD material, these defects are very significant and it represents a new and fast evolving application of research in dosimetry. Processing synthesis is critical in order to control the final properties of the crystal defects [6].

Earlier contributions on the studies of defect structures in both synthetic and natural CaSO<sub>4</sub> include a systematic study due to the irradiation of different rare-earth ions-doped CaSO<sub>4</sub> [7, 8]. Firstly, Nambi (1975) studied an experimental procedure

to determine absolute TL emission spectra and presents results for the cases of CaSO<sub>4</sub>:Dy phosphors which are widely used in radiation dosimetry. Dysprosium-doped CaSO<sub>4</sub> known as TLD 900 is excellent TL phosphor for dosimetry of ionizing radiations due to its high sensitivity.


The dosimetric characteristics of TL materials mainly depend on the kinetic parameters quantitatively describing the trapping–emitting centres responsible for the TL emission. The glow curves are influenced by changes in location, size and shape of the glow curves due to changes in the heating rate [9–11]. For this purpose we investigated TL properties of CaSO<sub>4</sub> using the various heating rate (VHR) and peak shape (PS) methods. The shape of a TL glow-peak is the basis of important and convenient methods for calculating the trapping parameters of distinct energy levels within the crystal [12]. In this work, CaSO<sub>4</sub> phosphor was synthesized and the order of kinetics (b), the trap depth (or activation energy (E)) and frequency factor (s) were calculated using VHR and PS methods for 260°C TL peak and then these values were compared each other.

## II. EXPERIMENTAL PROCEDURE

The precipitation method has been used for preparation of CaSO<sub>4</sub> phosphor. The raw materials used for preparation of CaSO<sub>4</sub> were CaCl<sub>2</sub> 99.99% (Aldrich), Na<sub>2</sub>SO<sub>4</sub> 99.00 % (Sigma) and distilled deionized water. CaSO<sub>4</sub> was prepared in three stages as follows:

(a) 4.390 g of CaCl<sub>2</sub> and 5.614 g of Na<sub>2</sub>SO<sub>4</sub> was dissolved in 50 ml distilled deionized water and stirred for 20 minutes.

(b) The solution was heated up to 100°C using hotplate and stirred for 15 minutes for following chemical reaction:



(c) The solution was filtered (Fig. 1). The filtered material was dissolved in water and heated up to 100°C and filtered again. These processes were repeated five times in order to remove sodium chloride (NaCl) with water.

The obtained powder was pelletized under the cold pressure of 800 kg and then the pellets were sintered in furnace at 700°C for 8 hours (Fig. 2).



Fig. 1 CaSO<sub>4</sub> sample preparation using precipitation method.

The crystalline structures of the samples were confirmed through X-ray diffraction studies using Rigaku Miniflex II diffractometer at 30 kV (scanning rate: 2°/min, 15 mA with  $\lambda=1.5406 \text{ \AA}$  Cu-K $\alpha$  radiation).



Fig. 2 Pelletizing and sintering of CaSO<sub>4</sub> samples.

The morphological form of samples was studied using scanning electron microscopy (SEM) with Zeiss Supra 55.

All TL measurements were carried out using an automatic Risø TL-OSL-DA-20 reader system (Fig. 3) with an EMI 9235 QA photomultiplier tube (PMT) and attached to filter pack consisting of a Hoya U-340 (290–370 nm) filter, which has an 80% minimum peak transmittance. Beta ( $\beta$ )-irradiation was performed using a 1.48 GBq (40 mCi) <sup>90</sup>Sr/<sup>90</sup>Y beta source (dose rate: 6.689 Gy/min) with a maximum energy of 2.27 MeV [13, 14]. In order to determine TL kinetic parameters of 260°C peak, three CaSO<sub>4</sub> pellets were irradiated with ~1 Gy  $\beta$  dose and then TL glow curves were recorded from room temperature to 350°C using different linear heating rates from 1 to 6°C/s and then obtained TL glow curves were used for calculations.



Fig. 3 Risø TL-OSL-DA-20 reader system.

### III. RESULTS AND DISCUSSION

The prepared CaSO<sub>4</sub> powders were confirmed through X-ray diffraction (XRD) studies using Rigaku Miniflex II diffractometer. X-ray source operation at 30 kV and 15 mA for samples. The XRD spectra of samples are shown in Fig. 4.




Fig. 4 XRD pattern of CaSO<sub>4</sub> sample.

XRD patterns of CaSO<sub>4</sub> samples show a lot of peaks were observed in various degrees. An unknown crystalline component was not detected in the samples and measured XRD spectrum is compatible with ICSD-01-086-2270 CaSO<sub>4</sub> card.

The particle size can significantly affect luminescence intensity of phosphors. The sample with larger particle size presents higher luminescence intensity [15]. The structural form of the prepared CaSO<sub>4</sub> samples were studied using a scanning electron microscopy (SEM) with Zeiss Supra 55. The SEM images of CaSO<sub>4</sub> powder samples are given in Fig. 5.



Fig. 5 SEM images of prepared CaSO<sub>4</sub> samples with different resolution.

As seen in Fig. 5, the synthesized  $\text{CaSO}_4$  powder samples show good morphology and connectivity with grains, but the particle sizes are inhomogeneous and it was observed that the particle sizes vary from  $5.34 \mu\text{m}$  to  $22.04 \mu\text{m}$ .

TL glow curves of irradiated  $\text{CaSO}_4$  samples were recorded at different linear heating rate values (Fig. 6). The heating rate is a fundamental experimental variable in TL measurements. Various heating rate methods are based on the shift of the glow peak temperature to higher temperatures with heating rate. This phenomenon has been explained to be due to thermal quenching [13, 16].




Fig. 6 TL glow curves of beta irradiated  $\text{CaSO}_4$  pellets at various heating rates (beta dose – 1Gy).

Using Hoogenstraaten [17] equation and various heating rate values, activation energy (or trap depth, E) can be evaluate graphically, based on the position of  $T_M$  with heating rate  $\beta$ . A linear relation is obtained between  $\ln(T_M^2/\beta)$  and  $1/kT_M$  as follows:

$$\ln\left(\frac{T_M^2}{\beta}\right) = \left(\frac{E}{k}\right)\left(\frac{1}{T_M}\right) + \ln\left(\frac{E}{sk}\right)$$

The plot of  $\ln(T_M^2/\beta)$  versus  $1/T_M$  should give a straight line with slope E and intercept  $\ln(E/sk)$ . Extrapolation to  $1/T_M = 0$  gives  $\ln(E/sk)$  from which frequency factor (s) can be calculated using the value of E obtained from the slope.

In present study activation energy (E) and frequency factor (s) of peak at  $260^\circ\text{C}$  were calculated using various heating rate values. By graphical method E and s values are calculated from the linear plot of  $\ln(T_M^2/\beta)$  versus  $1/T_M$  (Fig. 7). From the slope of the linear graph one can obtain the activation energy. [18].




Fig. 7 The linear relation of  $\ln(T_M^2/\beta)$  versus  $1/T_M$  for  $260^\circ\text{C}$  TL peak.

Activation energy and frequency factor of  $260^\circ\text{C}$  peak estimated from Fig. 7 are found to be at  $1.026 \pm 0.005 \text{ eV}$  and  $1.95 \times 10^8 \text{ s}^{-1}$  respectively (Table 1).

One way of determining TL kinetic parameters is by considering its geometrical properties with peak shape (PS) method [19]. These methods are based on measurements of a few points on the glow-peak, shown in Fig. 8.

The peak maximum temperature  $T_M$  and the temperatures at half maximum TL intensity  $T_1$  and  $T_2$  at the low and high temperature side of the glow-peak respectively. These quantities are used to define further the widths  $\omega = T_1 - T_2$ ,  $\delta = T_2 - T_m$  and  $\tau = T_m - T_1$  as well as the symmetry factor of the glow-peak  $\mu_g = \delta/\omega$ . [20].

The kinetic parameters were calculated by using following expressions:

$$E = 1.51 \times \left[ \frac{T_M \times T_1}{T_M - T_1} \right] \quad s = \frac{\beta E}{k T_M^2} \times \exp\left(\frac{E}{k \times T_M}\right)$$




Fig. 8 Geometrical characteristics of  $260^\circ\text{C}$  TL peak.

E and s of 260°C TL peak are found to be at  $1.024 \pm 0.006$  eV and  $1.75 \times 10^8$  s<sup>-1</sup> respectively for b=1 (Table 1).

TABLE I  
Kinetic parameters of CaSO<sub>4</sub> phosphor.

Methods	Activation Energy (E) eV	Frequency Factor (s) s <sup>-1</sup>	Order of Kinetics (b)
Various Heating Rate (VHR)	$1.026 \pm 0.005$	$1.95 \times 10^8$	-
Peak Shape (PS)	$1.024 \pm 0.006$	$1.75 \times 10^8$	1

#### IV. CONCLUSIONS

In this study, CaSO<sub>4</sub> phosphor was synthesized using precipitation method and the CaSO<sub>4</sub> powders were pelletized. The particle morphology and crystalline structures of the powder CaSO<sub>4</sub> samples were determined using XRD method and SEM images, respectively. TL kinetic parameters of CaSO<sub>4</sub> phosphors were calculated by using VHR and PS methods. The kinetic parameters (E and s) obtained with these methods for CaSO<sub>4</sub> phosphors are consistent with each other, but the b values does not compared. The activation energies (E) of CaSO<sub>4</sub> phosphors according to VHR and PS methods were determined as  $1.026 \pm 0.005$  and  $1.024 \pm 0.006$  eV, and the frequency factors (s) were determined as  $1.95 \times 10^8$  and  $1.75 \times 10^8$  s<sup>-1</sup> for the 260°C TL peak, respectively.

#### ACKNOWLEDGEMENT

This work was supported by Research Fund of Çukurova University (Project Number: **FED-2016-7668**). All authors would like to thank Research Fund of Çukurova University for financial support.

#### REFERENCES

- [1] F. Daniels, C. Boyd, D. Saunders, "Thermoluminescence as a research tool", *Science*, 117, 343-349, 1953.
- [2] F.O. Ogundare, F.A. Balogun, L.A. Hussain, "Evaluation of kinetic parameters of traps in thermoluminescence phosphors", *Radiation Measurements*, 41, 7-8, 892-896, 2006.
- [3] M. Yüksel, M. Topaksu, A. N. Yazıcı, Z. Yegingil and T. Doğan, "The Effects of Pre-Irradiation Heat Treatment and Heating Rate on the Thermoluminescence Glow Peaks of Natural CaF<sub>2</sub>", *Radiation Effects and Defects in Solids: Incorporating Plasma Science & Plasma Technology*, 165, 5, 396-402, 2010.
- [4] ([https://en.wikipedia.org/wiki/Thermoluminescent\\_dosimeter](https://en.wikipedia.org/wiki/Thermoluminescent_dosimeter)). (Accessed 20 October 2016)
- [5] M. Oberhofer and A. Scharmann (edited), "Applied Thermoluminescent Dosimetry, Published for the Commission of the European Communities, Lectures of a course held at the Joint Research Centre, Ispra, Italy, 12-16 November 1979.
- [6] T. Rivera, "Synthesis and Thermoluminescent Characterization of Ceramics Materials" *Advances in Ceramics-Synthesis and Characterization, Processing and Specific Applications*, Prof. Costas Sakalidis (Ed.), ISBN: 978-953-307-505-1, 2011.

- [7] K.S.V. Nambi, "Evaluation of the absolute TL emission spectrum and intrinsic efficiency for CaSO<sub>4</sub> (Dy) and CaF<sub>2</sub> (natural) phosphors", *Nuclear Instruments and Methods*, 130, 1, 239-243, 1975.
- [8] S. Bahl, S. P. Lochab, P. Kumar, "CaSO<sub>4</sub>:Dy,Mn: A new and highly sensitive thermoluminescence phosphor for versatile dosimetry", *Radiation Physics and Chemistry*, 119, 136-141, 2016. 1997.
- [9] G. C. Taylor and E. Lilley, "Rapid readout rate of studies of thermoluminescence in LiF (TLD-100) crystals. IIF", *Journal of Physics D: Applied Physics*, 15, 10, 1982.
- [10] M. Yüksel, "Thermoluminescence Properties of Anhydrous Sodium Sulfate", *Fourth International Conference on Radiation and Applications in Various Fields of Research Conference (RAD2016)*, Book of Abstracts, Niş, Sirbistan, Volume:4, 182, May 2016.
- [11] F.O. Ogundare, F.A. Balogun, L.A. Hussain, "Heating rate effects on the thermoluminescence of fluorite", *Radiation Measurements*, 40, 1, 60-64, 2005.
- [12] G. Kitis and V. Pagonis, "Peak shape methods for general order thermoluminescence glow-peaks: A reappraisal", *Nuclear Instruments and Methods in Physics Research B*, 262, 313-322, 2007.
- [13] M. Yüksel, Z.G. Portakal, T. Dogan, M. Topaksu, E. Unsal, "Thermoluminescence Glow Curve Properties of TLD-500 Dosimeter", *Third International Conference on Radiation and Applications in Various Fields of Research Conference, Proceedings of RAD 2015 Conference*, Volume:3, 387-392, 2015.
- [14] M. Yüksel, T. Dogan, E. Unsal, Z.G. Portakal, S. Akca, Z. Yegingil, M. Topaksu, "Thermoluminescence properties of annealed natural quartz after beta irradiation", *Luminescence*, DOI 10.1002/bio.313, Article in press, 2016.
- [15] Z. Mu, E. Song, D. Zhu, J. Feng, Y. Yang, "Red phosphor Li<sub>2</sub>Mg<sub>2</sub>(WO<sub>4</sub>)<sub>3</sub>:Eu<sup>3+</sup> with Iyonsite structure for near ultraviolet light-emitting diodes", *Displays*, 43, 18-22, 2016.
- [16] T. Dogan, H. Toktamış, M. Yüksel, M. Topaksu, A. Necmeddin Yazici, "Thermoluminescence glow curve analysis of natural onyx from Turkey", *Applied Radiation and Isotopes*, 96, 13-19, 2015.
- [17] W. Hoogenstraaten, "Electron traps in zinc sulphide phosphors", *Philips Res. Rep.*, vol. 13, pp. 515-562, 1958.
- [18] M.T. Jose, S.R. Anishia, O. Annalakshmi, V. Ramasamy, "Determination of thermoluminescence kinetic parameters of thulium doped lithium calcium borate" *Radiation Measurements*, 46, 1026-1032, 2011.
- [19] R. Chen, "On the calculation of activation energies and frequency factors from glow curves". *Journal of Applied Physics*, 40:570, 1969.
- [20] V. Pagonis, G. Kitis, C. Furetta, "Numerical and Practical Exercises in Thermoluminescence". Springer, USA, 2006.